

KEMENOVIC d.o.o.

10250 ZAGREB-Lučko, Puškarićeva 104a

tel: (01) 65 30 812, 65 30 813

Radno vrijeme: pon-pet 8.00-16.00 h, subota 8.00-13.00 h

mail: info@kemenovic.hr; web: www.kemenovic.hr



1,00 € = 7,53450 kn

## Maloprodajni CJENIK (sa PDV)

KEMPOR EPS ploče od ekspaniranog polistirena

### STANDARDNE PLOČE

dimenzije: 1000 x 500 mm

Debljina ploče	EPS 50		EPS 70 F038		EPS 100 F035		EPS 150		EPS 200		m <sup>2</sup> /paket
	~12 kg/m <sup>3</sup>		~15 kg/m <sup>3</sup>		~20 kg/m <sup>3</sup>		~25 kg/m <sup>3</sup>		~30 kg/m <sup>3</sup>		
	$\lambda_D = 0,041$ W/mK		$\lambda_D = 0,038$ W/mK		$\lambda_D = 0,035$ W/mK		$\lambda_D = 0,034$ W/mK		$\lambda_D = 0,033$ W/mK		
	kn/m <sup>2</sup>	€/m <sup>2</sup>	kn/m <sup>2</sup>	€/m <sup>2</sup>	kn/m <sup>2</sup>	€/m <sup>2</sup>	kn/m <sup>2</sup>	€/m <sup>2</sup>	kn/m <sup>2</sup>	€/m <sup>2</sup>	
10 mm	<b>6,25</b>	0,83	<b>7,13</b>	0,95	<b>9,00</b>	1,19	<b>11,25</b>	1,49	<b>13,75</b>	1,82	25,0
20 mm	<b>12,50</b>	1,66	<b>14,25</b>	1,89	<b>18,00</b>	2,39	<b>22,50</b>	2,99	<b>27,50</b>	3,65	12,5
30 mm	<b>18,75</b>	2,49	<b>21,38</b>	2,84	<b>27,00</b>	3,58	<b>33,75</b>	4,48	<b>41,25</b>	5,47	8,0
40 mm	<b>25,00</b>	3,32	<b>28,50</b>	3,78	<b>36,00</b>	4,78	<b>45,00</b>	5,97	<b>55,00</b>	7,30	6,0
50 mm	<b>31,25</b>	4,15	<b>35,63</b>	4,73	<b>45,00</b>	5,97	<b>56,25</b>	7,47	<b>68,75</b>	9,12	5,0
60 mm	<b>37,50</b>	4,98	<b>42,75</b>	5,67	<b>54,00</b>	7,17	<b>67,50</b>	8,96	<b>82,50</b>	10,95	4,0
70 mm	<b>43,75</b>	5,81	<b>49,88</b>	6,62	<b>63,00</b>	8,36	<b>78,75</b>	10,45	<b>96,25</b>	12,77	3,5
80 mm	<b>50,00</b>	6,64	<b>57,00</b>	7,57	<b>72,00</b>	9,56	<b>90,00</b>	11,95	<b>110,00</b>	14,60	3,0
90 mm	<b>56,25</b>	7,47	<b>64,13</b>	8,51	<b>81,00</b>	10,75	<b>101,25</b>	13,44	<b>123,75</b>	16,42	2,5
100 mm	<b>62,50</b>	8,30	<b>71,25</b>	9,46	<b>90,00</b>	11,95	<b>112,50</b>	14,93	<b>137,50</b>	18,25	2,5

- ploče do 50 mm držimo na lageru; sve ostale debljine prema narudžbi

### FASADNE PLOČE

dimenzije: 1000 x 500 mm

Debljina ploče	EPS F STANDARD				m <sup>2</sup> /paket
	vlačna čvrstoća 120 kPa				
	$\lambda_D = 0,039$ W/mK		~14 kg/m <sup>3</sup>		
	Ploče ravnih rubova		Ploče sa preklapom		
	kn/m <sup>2</sup>	€/m <sup>2</sup>	kn/m <sup>2</sup>	€/m <sup>2</sup>	
10 mm	<b>6,50</b>	0,86	--	--	25,0
20 mm	<b>13,00</b>	1,73	--	--	12,5
30 mm	<b>19,50</b>	2,59	--	--	8,0
40 mm	<b>26,00</b>	3,45	<b>26,00</b>	3,45	6,0
50 mm	<b>32,50</b>	4,31	<b>32,50</b>	4,31	5,0
60 mm	<b>39,00</b>	5,18	<b>39,00</b>	5,18	4,0
70 mm	<b>45,50</b>	6,04	<b>45,50</b>	6,04	3,5
80 mm	<b>52,00</b>	6,90	<b>52,00</b>	6,90	3,0
100 mm	<b>65,00</b>	8,63	<b>65,00</b>	8,63	2,5
120 mm	<b>78,00</b>	10,35	<b>78,00</b>	10,35	2,0
140 mm	<b>91,00</b>	12,08	<b>91,00</b>	12,08	2,0
150 mm	<b>97,50</b>	12,94	<b>97,50</b>	12,94	2,0

- ploče do 150 mm držimo na skladištu; sve ostale debljine prema narudžbi (preklap do 150 mm)

**FASADNE PLOČE**

dimenzije: 1000 x 500 mm

Debljina ploče	EPS F PREMIUM				m <sup>2</sup> / paket
	vlačna čvrstoća 160 kPa				
	$\lambda_D = 0,037 \text{ W/mK}$		~17 kg/m <sup>3</sup>		
	Ploče ravnih rubova		Ploče sa preklpom		
	kn/m <sup>2</sup>	€/m <sup>2</sup>	kn/m <sup>2</sup>	€/m <sup>2</sup>	
10 mm	<b>8,13</b>	1,08	--	--	25,0
20 mm	<b>16,25</b>	2,16	--	--	12,5
30 mm	<b>24,38</b>	3,24	--	--	8,0
40 mm	<b>32,50</b>	4,31	<b>34,38</b>	4,56	6,0
50 mm	<b>40,63</b>	5,39	<b>42,50</b>	5,64	5,0
60 mm	<b>48,75</b>	6,47	<b>50,63</b>	6,72	4,0
70 mm	<b>56,88</b>	7,55	<b>58,75</b>	7,80	3,5
80 mm	<b>65,00</b>	8,63	<b>66,88</b>	8,88	3,0
100 mm	<b>81,25</b>	10,78	<b>83,13</b>	11,03	2,5
120 mm	<b>97,50</b>	12,94	<b>99,38</b>	13,19	2,0
140 mm	<b>113,75</b>	15,10	<b>115,63</b>	15,35	2,0
150 mm	<b>121,88</b>	16,18	<b>123,75</b>	16,42	2,0

- izrada prema narudžbi
- minimalna količina za izradu preklopa je 100 m<sup>2</sup>
- izrada preklopa iznosi 1,88 kn/m<sup>2</sup> (0,25 €/m<sup>2</sup>) (dostupno u debljinama od 40 do 150 mm)

**FASADNE PLOČE SIVE (GRAFITNE)**

dimenzije: 1000 x 500 mm

Debljina ploče	EPS F PLUS				m <sup>2</sup> / paket
	vlačna čvrstoća 150 kPa				
	$\lambda_D = 0,032 \text{ W/mK}$		~16 kg/m <sup>3</sup>		
	Ploče ravnih rubova		Ploče sa preklpom		
	kn/m <sup>2</sup>	€/m <sup>2</sup>	kn/m <sup>2</sup>	€/m <sup>2</sup>	
10 mm	<b>8,75</b>	1,16	--	--	25,0
20 mm	<b>17,50</b>	2,32	--	--	12,5
30 mm	<b>26,25</b>	3,48	--	--	8,0
40 mm	<b>35,00</b>	4,65	<b>36,88</b>	4,89	6,0
50 mm	<b>43,75</b>	5,81	<b>45,63</b>	6,06	5,0
60 mm	<b>52,50</b>	6,97	<b>54,38</b>	7,22	4,0
70 mm	<b>61,25</b>	8,13	<b>63,13</b>	8,38	3,5
80 mm	<b>70,00</b>	9,29	<b>71,88</b>	9,54	3,0
100 mm	<b>87,50</b>	11,61	<b>89,38</b>	11,86	2,5
120 mm	<b>105,00</b>	13,94	<b>106,88</b>	14,18	2,0
140 mm	<b>122,50</b>	16,26	<b>124,38</b>	16,51	2,0
150 mm	<b>131,25</b>	17,42	<b>133,13</b>	17,67	2,0

- ploče do 100 mm držimo na skladištu (bez preklopa), sve ostale debljine prema narudžbi
- minimalna količina za izradu preklopa je 100 m<sup>2</sup>
- izrada preklopa iznosi 1,88 kn/m<sup>2</sup> (0,25 €/m<sup>2</sup>) (dostupno u debljinama od 40 do 150 mm)

**FASADNE PLOČE SIVE (GRAFITNE)**

dimenzije: 1000 x 500 mm

Debljina ploče	EPS 70 PLUS		EPS 150 PLUS		m <sup>2</sup> /paket
	vlačna čvrstoća 150 kPa		vlačna čvrstoća 240 kPa		
	$\lambda_D = 0,031 \text{ W/mK} \quad \sim 16 \text{ kg/m}^3$		$\lambda_D = 0,030 \text{ W/mK} \quad \sim 27 \text{ kg/m}^3$		
	Ploče ravnih rubova		Ploče ravnih rubova		
	kn/m <sup>2</sup>	€/m <sup>2</sup>	kn/m <sup>2</sup>	€/m <sup>2</sup>	
10 mm	<b>9,00</b>	1,19	<b>15,00</b>	1,99	25,0
20 mm	<b>18,00</b>	2,39	<b>30,00</b>	3,98	12,5
30 mm	<b>27,00</b>	3,58	<b>45,00</b>	5,97	8,0
40 mm	<b>36,00</b>	4,78	<b>60,00</b>	7,96	6,0
50 mm	<b>45,00</b>	5,97	<b>75,00</b>	9,95	5,0
60 mm	<b>54,00</b>	7,17	<b>90,00</b>	11,95	4,0
70 mm	<b>63,00</b>	8,36	<b>105,00</b>	13,94	3,5
80 mm	<b>72,00</b>	9,56	<b>120,00</b>	15,93	3,0
100 mm	<b>90,00</b>	11,95	<b>150,00</b>	19,91	2,5
120 mm	<b>108,00</b>	14,33	<b>180,00</b>	23,89	2,0
140 mm	<b>126,00</b>	16,72	<b>210,00</b>	27,87	2,0
150 mm	<b>135,00</b>	17,92	<b>225,00</b>	29,86	2,0

- izrada prema narudžbi

**ELASTIFICIRANE PLOČE**

dimenzije: 1000 x 500 mm

Debljina ploče	EPS EL		m <sup>2</sup> /paket
	$\lambda_D = 0,041 \text{ W/mK}$		
	kn/m <sup>2</sup>	€/m <sup>2</sup>	
12 / 10 mm	<b>9,13</b>	1,21	25,0
22 / 20 mm	<b>18,25</b>	2,42	12,5
33 / 30 mm	<b>27,38</b>	3,63	8,0

- ploče do 20 mm držimo na skladištu, 30 mm prema narudžbi

**PROFILIRANE PLOČE ZA POTKROVLJE**

dimenzije: 1000 x 500 mm

Debljina ploče	PROFILIRANE PLOČE ZA POTKROVLJE (EPS 70 F038)				m <sup>2</sup> /paket
	Ploče sa urezima		Ploče s kanalima i urezima		
	kn/m <sup>2</sup>	€/m <sup>2</sup>	kn/m <sup>2</sup>	€/m <sup>2</sup>	
80 mm	<b>64,50</b>	8,56	<b>69,50</b>	9,22	3,0
100 mm	<b>78,75</b>	10,45	<b>83,75</b>	11,12	2,5
120 mm	<b>93,00</b>	12,34	<b>98,00</b>	13,01	2,0
140 mm	<b>107,25</b>	14,23	<b>112,25</b>	14,90	2,0

- izrada prema narudžbi
- na gornjoj strani ploče urezani su kanali za prozračivanje krovišta
- ploče su elastične i prilagodljive pri utiskivanju među roženice krovišta

## PLOČE ZA PODNO GRIJANJE

Sistemske EPS ploče bez zaštitne folije

Debljina ploče	Čepovi	Izolacija	Tlačna čvrstoća	Toplinska provodljivost	Cijena kn/m <sup>2</sup>	€/m <sup>2</sup>	Pakiranje
42 mm	20 mm	22 mm	200 kPa	0,033 W/mK	<b>76,25</b>	10,12	10,08 m <sup>2</sup> (14 ploča)

- dimenzija ploče: 1200 x 600 mm (0,72 m<sup>2</sup>/ploča)
- osni razmak čepova: 75 mm

## PLOČE ZA PODNO GRIJANJE

Sistemske EPS ploče sa zaštitnom HIPS crnom folijom

Debljina ploče	Čepovi	Izolacija	Tlačna čvrstoća	Toplinska provodljivost	Cijena kn/m <sup>2</sup>	€/m <sup>2</sup>	Pakiranje
32 mm	22 mm	10 mm	150 kPa	0,034 W/mK	<b>86,25</b>	11,45	24,64 m <sup>2</sup> (22 ploče)
52 mm	22 mm	30 mm	120 kPa	0,035 W/mK	<b>107,50</b>	14,27	13,44 m <sup>2</sup> (12 ploča)

- dimenzija ploče: 1400 x 800 mm (1,12 m<sup>2</sup>/ploča)
- osni razmak čepova: 50 mm
- debljina HIPS folije: 600 µm

## DRENAŽNO AKUMULACIJSKA PLOČA ZA OZELENJAVANJE KROVOVA

Debljina ploče	Tlačna čvrstoća	Cijena kn/m <sup>2</sup>	€/m <sup>2</sup>	Pakiranje
60 mm	70 kPa	<b>93,75</b>	12,44	7,20 m <sup>2</sup> (10 ploča)

- dimenzija ploče: 1200 x 600 mm (0,72 m<sup>2</sup>/ploča)
- kapacitet akumulacije vode: 15,7 l/m<sup>2</sup>

**PLOČE U PADU**

dimenzije: 1000 x 500 mm

Debljina ploče / postotak pada		EPS 100 F035		EPS 150 F035		EPS 200 F035		m <sup>2</sup> /paket
		kn/m <sup>3</sup>	€/m <sup>3</sup>	kn/m <sup>3</sup>	€/m <sup>3</sup>	kn/m <sup>3</sup>	€/m <sup>3</sup>	
30/20	1%	<b>1.287,50</b>	170,88	<b>1.500,00</b>	199,08	<b>1.750,00</b>	232,26	10 m <sup>2</sup> (20 ploča)
40/30	1%							7 m <sup>2</sup> (14 ploča)
30/15	1,5%							11 m <sup>2</sup> (22 ploča)
45/30	1,5 %							7 m <sup>2</sup> (14 ploča)
30/10	2%							12 m <sup>2</sup> (24 ploča)
50/30	2%							6 m <sup>2</sup> (12 ploča)

- izrada prema narudžbi

**OSTALO**

Naziv proizvoda	kn/pak	€/pak	pakiranje
Stiropor krupno mljeveni	<b>231,25</b>	30,69	vreća 500 litara
Stiropor granule 500 lit	<b>306,25</b>	40,65	vreća 500 litara
Stiropor granule 250 lit	<b>156,25</b>	20,74	vreća 250 litara
Stiropor za pakiranje	<b>337,50</b>	44,79	vreća 500 litara
Rubne letvice za glazuru (dim. 100x10x1000 mm)	<b>43,75</b>	5,81	50 m/pak
Rondela bijela Ø 70 mm, d=17 mm	<b>0,94</b>	0,12	200 kom/vreća
Rondela siva Ø 70 mm, d=17 mm	<b>1,06</b>	0,14	200 kom/vreća

- cijene su izražene u kn (€) sa PDV-om na paritetu fco. Lučko (utovareno)
- za iznos računa preko 5.000,00 kn (663,61 €) prijevoz u gradu Zagrebu se naplaćuje 300,00 kn (39,82 €)

- **POPUSTI ovise o količinama i načinu plaćanja**

- mogućnost obročnog plaćanja do 12 rata za iznose preko 2.000,00 kn (265,45 €) (vrijedi za kartice Zagrebačke banke - Visa, MasterCard i Maestro te kartice Privredne banke Zagreb - Maestro, Visa i Visa Premium)
- svi proizvodi posjeduju Izjave o svojstvima i tehničke upute

Zagreb, 22.08.2022.

**KEMENOVIC d.o.o**

dir. Marko Kemenović, dipl. oec.